



HORIZONT

HIGHLIGHTS 2024



Poultry farming products

High-quality chicken houses made of sturdy material for long and safe use, as well as matching accessories.

High-tech monitoring

High-performance HD cameras with top image resolution. Perfect for agriculture and the safety of people and animals.

Absolutely tensile strength

The turbomax® high energy braided net impresses with its braided strands.



ALL ABOUT

POULTRY FARMING

HIGH QUALITY CHICKEN COOP WITH MATCHING ACCESSORIES



CHICKEN COOP OSLO

- High-quality chicken coop with aviary
- Quick and uncomplicated assembly (supplied as a kit)
- Easy cleaning of the stable area thanks to the practical cleaning drawer
- Nest box accessible from the outside
- 8 to 12 chickens
- Dimensions LxWxH: 2,75 m x 1,80 m x 1,95 m

Item No. 38595403



CHICKEN COOP NORWAY

- High-quality chicken coop with aviary
- Quick and uncomplicated assembly (supplied as a kit)
- Easy cleaning of the stable area thanks to the practical cleaning drawer
- Nest box accessible from the outside
- 8 to 12 chickens
- Dimensions LxBxH: 2,45 m x 1,90 m x 1,90 m

Item No. 38595424



COPELE POULTRY DRINKER SILO OUTDOOR

- Always clean and fresh drinking water
- Large capacity of 35 litres
- High-quality and safe material. BPA-free and UV-resistant
- Lid and filter ensure constantly fresh water
- Easy filling and cleaning thanks to hinged lid with safety lock

Item No. 34815



POULTRY FEEDER SILO OUTDOOR

- Permanent feed supply for your chickens
- Large volume of 35 litres
- Uncomplicated assembly without tools
- Made from high quality plastic
- BPA-free and UV-resistant
- Lid and anti-smudge grid ensure consistently clean feed and feed savings

Item No. 34816



AUTOMATIC CHICKEN COOP DOOR

- Time saving for the pet owner thanks to automatic opening and closing
- Timer and light sensor (also in mix mode)
- Integrated safety function to prevent malfunction
- Waterproof and resistant - Absolutely reliable - even in extreme weather conditions
- High-quality construction made of aluminium and ASA plastic
- Works with 2 AA alkaline batteries or a 5V DC mains supply (Not included in scope of delivery)

Item No. 38595614



MAINS PLUG FOR AUTOMATIC CHICKEN DOOR

- 5 V mains supply for the automatic chicken door

Item No. 38595614001



POULTRY DRINKER CLEAN / RECYCLED PLASTIC

- Hygienic thanks to easy cleaning
- Capacity of 3 litres and space for 4 chickens
- 100% recycled materials
- Saves resources and protects the environment
- Each trough is unique by its colouring

Item No. 38510009003



DIATOMACEOUS EARTH

- Ideal for disinfecting chicken coops or eliminating parasites on the animal
- Can be used indoors as well as outdoors
- Non-toxic for humans
- Natural insecticide
- Also suitable for dogs and cats
- 3 kg bucket

Item No. 38000700



COCONUT LITTER

- 100 % coconut chips
- Environmentally conscious, sustainable and biodegradable
- High absorption power for maximum hygiene and effective odour neutralisation
- Uncomplicated application
- 100 litre pack

Item No. 38000800





VISION LINE HIGHTECH-MONITORING

THE INTELLIGENT SURVEILLANCE CAMERA

Our high-resolution HD cameras set new standards. horizon presents an innovative range, tailor-made for the surveillance of buildings, people and animals.



Night vision in color



Enjoy high quality color images around the clock 24/7. ColorVu technology provides you high-quality color images day and night, which is offered by the Vision Colour camera.

AcuSense

AcuSense technology uses integrated deep learning technology to quickly and intelligently detect what is on the screen. With high reliability, it determines whether a person or vehicle is passing through the monitored area. This avoids false alarms.



DORI System

"DORI stands for Detect-Observe-Recognise. This standard helps to evaluate and compare the performance of surveillance cameras at a glance. It specifies the range for a given resolution.

HORIZONT-LIVE APP

- ✓ Uncomplicated and intuitive
- ✓ Intruder alarm
- ✓ Control from the road
- ✓ Livestreaming
- ✓ Simple system administration



Discover further details?

In agriculture, around 10,000 thefts are observed on farms every year.



Time savings and higher productivity for farmers

In agriculture, about 10,000 thefts are observed annually on farms.

Monitoring systems are becoming increasingly popular among farmers to ensure the safety of their farms, but also to benefit from the advantages of managing their farms remotely.



House and yard surveillance



Birth monitoring



General animal control



Protection against and detection of burglaries and thefts

Night vision in colour



360° view



360° view +

XXL-ZOOM



	VISION Colour	VISION 360°	VISION 360° Zoom Pro
	38HOR100121	38HOR100122	38HOR100124
App controlled	✓	✓	✓
PoE-capable: Power supply via network cable	✓	✓	✓
Usage	Standalone mode / recorder	Standalone mode / recorder	Standalone mode / recorder
resolution	2688 x 1520 px	2560 x 1440 px	2560 x 1440 px
optical zoom	—	4 x	25 x
digital zoom	—	16 x	16 x
white light projector	✓ Range 40 m	—	—
infrared projector	—	✓ Range 20 m	✓ Range 100 m
DarkFighter technology	—	—	✓
AcuSense technology	✓	—	✓
ColorVu technology	✓	—	—
swivel angle	112°	0 bis 355°	0 bis 360°
tilt angle	61°	0 bis 90°	-15 bis 90°
video compression	0 h.265+	0 h.265+	0 h.265+



Vision Network Recorder

4-channel network video recorder for optimal monitoring of your buildings. Integrated hard disk with 2TB.

Item No. 38HOR100111

CATTLE



ZINC OXIDE OINTMENT SPRAY

- Spray ointment with zinc oxide
- Promotes the regeneration of the skin
- Formation of a protective film against dirt and pathogens
- 200 ml

Item No. **38002200**



BLUE SPRAY

- The top seller for disinfecting injuries and wounds
- Promotes the regeneration of the skin
- Species: cats, dogs, horses, cattle and pigs
- 400 ml

Item No. **38002100**



ALUMINIUM WOUND SPRAY

- Effectively promotes wound healing
- Acts like a plaster to protect the wound
- Antibacterial effect
- 200 ml

Item No. **38002150**



PLASTIC ANKLE STRAP

- Extra long plastic ankle strap for cattle
- Easy to operate
- With safety lock
- Length 34 cm

- Item No. **38108811003**
- Item No. **38108811008**
- Item No. **38108811010**



TETICLEAR PLASTIC CALF FEEDING BUCKET 8L

- Transparent drinking bucket particularly suitable for ad libitum drinking
- Large scale for quick control of water intake
- Food-safe plastic and easy to clean
- Scope of delivery: bucket with handle, teat and valve with seal

Item No. **38120009630**

ANTAHI TRUSTI TUBER

- Generous capacity of 4 litres
- Can be used as a feeding bottle or for drenching
- The milk flow is easy to check during drenching thanks to the transparent tube
- Designed for the vital colostrum supply of calves
- Saves time in calf rearing

Item No. **38120095001**



CLIPPER HEINIGER XPERT 2-SPEED

With powerful 2,500 to 2,800 double strokes per minute and a powerful motor, sheep can be shorn quickly and effortlessly.

Weight: 1180 g
Noise level: 72 dB (A)
Power connection: 230 V / 200 W
Engine speed: 2500/2800 U / min

Item No. **38100279001**



CLIPPER HEINIGER XPLOERER PRO 2 SPEED

With up to 2,900 powerful double strokes per minute and a powerful motor, cattle and horses can be clipped quickly and effortlessly. Cordless clipping with a runtime of up to 120 minutes.

Weight: 975 g
Noise level: 65 dB (A)
Battery: 10,8 V Lithium-Ion / 2.850 mAh
Engine speed: 2.450/2.900 U / min

Item No. **38100264004**



CLIPPER HEINIGER SAPHIR STYLE

With the latest lithium-ion technology, dogs can be clipped on their paws, eyes and tail. Cordless clipping with a runtime of up to 120 minutes.


Weight: 120 g
Noise level: 60 dB (A)
Battery: 4 V Lithium-Ion / 700 mAh
Engine speed: 5.500 U / min

Item No. **38154700050**

SOLAR ENERGY

Solar energiser farmer® AS180

Ergonomic carrying handle
· Easy to move with one hand



HIGH POWER SOLAR ENERGISER WITH A UNIQUE 24 WATT FOLDING SOLAR PANEL ARRAY

The farmer® AS180 is powered by an integrated 12 V battery and the 24 watt solar panel. Compact unit of electric fence energiser and solar panel.

Item No. 10919

Robust plastic solar panel
· Environmentally friendly use of solar energy

Energy Control
· 3-stage LED indicator for the capacity and function of the battery
· Flashes in time with the pulse output

ALLROUNDER WITH DUAL-POWER FUNCTION

farmer® AN500

OUTPUT: 5 J
NETS: 14 x 50 m



Dual power energisers can be connected in parallel to 230 V mains power and a 12 V battery. In the event of a power failure, uninterrupted operation is guaranteed! The energiser then automatically switches to battery operation.

Emergency function - to extend the runtime if the battery is low, the energiser reduces the pulse energy and thus the power consumption.

Item No. 10950



Suspension device for wall mounting



Ventilation slots for the escape of condensation water



Connection socket for the power supply unit on the rear

turbomax® Digital

OUR POWERFUL ENERGISERS FOR EXTREME DEMANDS

Our premium series for extreme and particularly high requirements. The turbomax® Wifi energisers are extremely powerful devices and are suitable for long fences. turbomax® energisers can be used for herding almost all animal species. With the help of our horizon fences app, the devices can be easily controlled and monitored via smartphone.

turbomax® AN800-D

Output: 8 J | nets: 20 x 50 m
Input: 12 J
Max. Fence length: 70 km



Item No. 10829

turbomax® AN1200-D

Output: 12 J | nets: 30 x 50 m
Input: 16 J
Max. Fence length: 100 km



Item No. 10830

turbomax® AN1500-D

Output: 15 J | nets: 40 x 50 m
Input: 23 J
Max. Fence length: 120 km



Item No. 10843

Quite simply via app control

WIFI FUNCTIONS

- ✓ Switching on / off
- ✓ Management of multiple devices
- ✓ Configurable alarm settings
- ✓ Electric fence condition check
- ✓ Battery status check
- ✓ Fence voltage control

horizont Fences App



KUBE ARGUS 300ABN

Input: 0,4 J
Output: 0,3 J
Nets: 2 x 50 m
Max. Fence length: 5,5 km

Item No. 10910

A classic for cattle farming





HIGH ENERGY BRAIDED

HORIZONT TURBOMAX® HIGH ENERGY BRAIDED

The braided strand signifies that the conductors cannot protrude and therefore have less wear.

The braided strand results in less tangling when pulling and carrying the net.

CONVENTIONAL NETS

Conductors can easily stand out.


Stretching can lead to sagging of the fence.



ABSOLUTELY TENSILE STRENGTH

- ✓ Braided stranded wire: Conductor braided into the PE monofilaments and therefore very well protected and very tensile strength
- ✓ The braided strand leads to less tangling and stretching
- ✓ Earth conductor, which is a great advantage, especially in dry conditions
- ✓ Stable stand thanks to braided strands and rigid verticals
- ✓ Nets are easy to set up as no re-tensioning is necessary
- ✓ Large mesh spacing on the ground. Small game can slip through and is thus protected

90 / 105 / 120 cm high, 50 m long, Conductivity: 0,32 Ω / m
Mesh sizes 20 cm x 30 cm




90 cm | Item No. 14647 **NEW**
105 cm | Item No. 14652
120 cm | Item No. 14710 **NEW**

farmer® Sheep net

- 105 cm high, 50 m long
- Conductivity: 1,15 Ω / m
- Lower mesh size: 15 cm x 15 cm
- 14 high-quality and stable fibreglass posts (12 in the net + 2 spare posts)

105 cm | Item No. 14893



ELECTRIC FENCE TAPE REFLECT

Suitable for: With the reflective fence tape, you can secure areas that should be clearly visible to vehicle drivers even in the dark; the tape reflects headlights, for example.

- Colours:
- White with reflective stripes
 - blue with reflective stripes: good visibility for animals and people

Item No. 17114RFL
Item No. 17114BRFL



Reflects light!
Reflektiert Licht!
Réflète la lumière!

FLOODGATE CONTROLLER




The Strainrite® flood gate controller is used to reduce the energy in fence sections when crossing ditches with a risk of flooding.

Precise energy limitation disconnects the bottom wire of the fence from the circuit, while the rest of the fence remains functional.

With intelligent control, our energy limiter ensures maximum safety by regulating the energy supply with pinpoint accuracy.

Item No. 47FFI00020



WARNING SIGN «ATTENTION ELECTRIC FENCE»

- Robust warning sign „Attention electric fence“ printed on both sides to safely mark your electric fence.
- International version / 10 languages.
- Electric fences are subject to compulsory labelling.

Item No. 14723



KAMER RAIN GAUGE

- Transparent rain gauge for easy reading of precipitation
- Scale from 0 to 40 mm
- 1 mm of water corresponds to 1 litre per m²
- Can be used immediately thanks to the supplied peg

Item No. **38129030100**



KAJO HARVEST BASKET 15 L

- Universal basket with 15 litre capacity
- Made of recycled plastic, produced with green electricity
- 5 years warranty on UV resistance
- Stackable, easy to store and clean
- Fold-out feet

- Item No. **34812**
- Item No. **34813**
- Item No. **34814**

15 L



HIPPOTONIC FLEXI-BUCKET 15 L / 28 L

- Colourful Flexi buckets in two different sizes
- For transporting water and food for your animals
- Also ideal for gardening
- High-quality, flexible polyethylene
- Two large, ergonomically moulded carrying handles for comfortable and practical carrying

28 L



15 L

- Item No. **38130E711002002**
- Item No. **38130E711002003**
- Item No. **38130E711002006**
- Item No. **38130E711002008**
- Item No. **38130E711002013**
- Item No. **38130E711002015**

28 L

- Item No. **38130E711003002**
- Item No. **38130E711003003**
- Item No. **38130E711003006**
- Item No. **38130E711003008**
- Item No. **38130E711003013**
- Item No. **38130E711003015**



BEAUMONT HAND SHOWER

- High-quality hand shower with 8 different spray settings
- Ergonomic handle
- Lever fixing for continuous spraying function
- Plastic adapter included

Item No. **38123395**



horizont group gmbh
Animal Care

Homberger Weg 4-6
34497 Korbach, Germany

☎ +49 (0) 56 31 / 5 65 - 1 00
☎ +49 (0) 56 31 / 5 65 - 1 20
✉ animalcare@horizont.com
🏠 www.animalcare.horizont.com

All information is subject to typographical and printing errors. Price changes, product changes and errors excepted. Reproduction, even in part, and use of images only with the written authorisation of horizont group gmbh.

Art.-Nr. 15771-24UK